Yongyu Mu¹, Peinan Feng¹, Zhiquan Cao¹, Yuzhang Wu¹, Bei Li¹, Chenglong Wang¹,

Tong Xiao^{1,2}[†], Kai Song³, Tongran Liu⁴, Chunliang Zhang^{1,2} and Jingbo Zhu^{1,2}

¹NLP Lab, School of Computer Science and Engineering, Northeastern University, Shenyang, China

²NiuTrans Research, Shenyang, China

³ByteDance Inc

⁴CAS Key Laboratory of Behavioral Science, Institute of Psychology, CAS, Beijing, China

lixiaoyumu9@gmail.com

{xiaotong,zhujingbo}@mail.neu.edu.cn

Abstract

In this study, we reveal an in-context learning (ICL) capability of multilingual large language models (LLMs): by translating the input to several languages, we provide Parallel Input in Multiple Languages (PIM) to LLMs, which significantly enhances their comprehension abilities. To test this capability, we design extensive experiments encompassing 8 typical datasets, 7 languages and 8 state-of-the-art multilingual LLMs. Experimental results show that (1) incorporating more languages help PIM surpass the conventional ICL further; (2) even combining with the translations that are inferior to baseline performance can also help. Moreover, by examining the activated neurons in LLMs, we discover a counterintuitive but interesting phenomenon. Contrary to the common thought that PIM would activate more neurons than monolingual input to leverage knowledge learned from diverse languages, PIM actually inhibits neurons and promotes more precise neuron activation especially when more languages are added. This phenomenon aligns with the neuroscience insight about synaptic pruning, which removes less used neural connections, strengthens remainders, and then enhances brain intelligence.

1 Introduction

English-center large language models (LLMs) have shown remarkable success across a wide range of nature language processing (NLP) tasks, where their powerful in-context learning (ICL) abilities play an important role, inter alia, few-shot learning (Brown et al., 2020) and chain-of-thought (Wei et al., 2022). As multilingual LLMs continually evolve to accommodate multi-language inputs (Anil et al., 2023; OpenAI, 2023), it is intriguing to explore their ICL abilities, especially associated




Figure 1: Comparing the effectiveness of our PIM versus direct and pivot translation on the Qwen-14B model and the FLORES-200 dataset. We also provide the results of ChatGPT in Table 1.

to the superior ability to understand various languages.

In this work, we introduce a prompting approach, termed Parallel Input in Multi-language (PIM), which significantly amplifies the comprehension abilities of multilingual LLMs. PIM translates the original input into several languages and then combines these translations with the original input to enrich the models' learning context. This method not only boosts the performance of LLMs but also presents a simple but effective way to leverage the inherent multilingual capabilities of LLMs. Figure 1 shows the results of applying different methods to machine translation on the FLORES-200 dataset (Costa-jussà et al., 2022), which includes humantranslated parallel texts. We see that PIM, by utilizing ground truth translations, can remarkably enhance translation performance, evidenced by an increase of +11.3 BLEU and +1.52 COMET scores. This improvement is observed even with translations that do not surpass baseline performances, such as those in Russian. Moreover, different from the similar practise that provides multi-way human translations to enhance multilingual neural machine translation (MNMT) (Firat et al., 2016b; Zoph and Knight, 2016), substantial results demonstrates the effectiveness of PIM on a wide range of tasks when parallel languages come from MT systems.

^{*}Equal contribution.

[†]Corresponding author.

Considering knowledge learnt from different languages memorized in separate neurons of LLMs, a straightforward explanation for the superiority of PIM is that it leads to the increasing number of activated neurons, utilizing more knowledge during the inference stage. However, by making statistics of activated neurons in the multi-layer perceptrons (MLPs) layers of LLMs, we find that compared to the conventional ICL, PIM actually inhibits rather than activates neurons, especially when it achieves larger improvements. Furthermore, PIM also promotes more precious neuron activation by activating a small portion of neurons and inhibiting others. This finding is similar to the synaptic pruning happening in brains, which prunes less-used neural connections and makes frequently-used neural pathways more powerful and efficient (Huttenlocher et al., 1979; Huttenlocher, 1990). Moreover, few-shot also performs similarly to PIM and integrating them will intensify this phenomenon. The contributions of our paper are as follows:

- We unveil PIM as a novel ICL strategy that significantly enhances the comprehension of multilingual LLMs through parallel multilingual input, broadening their applicability and performance.
- Different from multi-way MNMT, we find that multilingual LLMs achieve improvements even when parallel multilingual input is derived from MT systems, enabling us to apply PIM on a wide range of tasks.
- We pioneer the extension of neuron activation analysis from the vanilla transformer model to advanced LLM architectures, such as LLaMA and Bloom. Our results indicate that PIM optimizes performance by inhibiting neurons and promoting more precise neuron activation, mirroring the synaptic pruning process happening in brains.
- Our comprehensive evaluation spans 8 diverse datasets, 7 languages, and 8 state-of-the-art (SoTA) multilingual LLMs, with parameters ranging from 7B to 176B. These extensive studies underscore the effectiveness of PIM and its broad applicability.

We introduce our PIM and evaluate it on translation task in Section 2.1. Subsequently, we provide a comprehensive analysis of the performance gain brought by PIM in Section 2.2 and




Figure 2: Compared to conventional ICL, PIM inhibits neurons and promotes more precious activation (i.e., the thickened line). Other prompts are shown in Table 17.

explain its effectiveness from a view of neuron activation in Section 3. Moreover, we also apply PIM to a wide range of tasks in real scenario setup which is detailedly discussed in Section 4. Our parallel multilingual data and code are available at https://github.com/takagi97/ LLMs-are-parallel-multilingual-learners.

2 Parallel Input in Multiple Languages

Previous works have demonstrated that multiway input can bring significant improvements for MNMT by providing the original input and its multilingual translations together to systems (Zoph and Knight, 2016; Firat et al., 2016a,b). More recently, multilingual LLMs have shown remarkable understanding ability across various languages. Inspired by the practice of multi-way MNMT, we propose to provide parallel input in multiple languages (PIM) to multilingual LLMs. The following section will explain the details of constructing PIM.

2.1 Multilingual LLMs benefit from PIM

Given an input X of a task and a template $f(\cdot)$ to transform the input to an instruction, the conventional ICL can be expressed as follows:

$$\mathbf{Y} = \operatorname{argmax} P(y_t | f(\mathbf{X})) \tag{1}$$

where \mathbf{Y} denotes the target output of the task and y_t denotes the token generated at moment t. PIM extends beyond the conventional ICL approach of feeding LLMs solely with inputs in one language. Instead, it encompasses providing input in multiple languages, translated by professional human translators or sophisticated machine translation (MT) systems. The PIM can be shown as:

$$\mathbf{Y} = \operatorname{argmax} P(y_t | f(\mathbf{M}, \mathbf{X}))$$
(2)

	. .	Cha	atGPT	Qw	en-14B				
Method	Input	BLEU	COMET	BLEU	COMET				
$German \rightarrow Enlish$									
Direct	De	44.3	89.8	45.2	89.5				
Pivot	Fr	45.6	89.6	47.2	89.6				
PIVOL	Ru	35.2	87.0	37.1	86.9				
PIM-1	De + Ru	46.2	90.0	47.9	90.0				
PIM-3	De + Ru + Fr + Uk	49.2	90.4	56.2	90.9				
PIM-5	De + Ru + Fr + Uk + It + Es	50.2	90.6	56.5	91.0				
	$Enlish \rightarrow$	German							
Direct	En	40.5	88.8	35.0	87.2				
Pivot	Fr	30.4	86.5	25.9	84.7				
PIVOL	Ru	25.8	85.2	22.6	83.4				
PIM-1	En + Ru	40.1	88.8	34.4	87.2				
PIM-3	En + Ru + Fr + Uk	40.3	88.8	34.8	87.4				
PIM-5	En + Ru + Fr + Uk + It + Es	40.5	88.9	34.6	87.5				
	German -	\rightarrow French							
Direct	De	37.2	86.2	35.2	85.3				
Pivot	Ro	39.6	87.4	37.2	86.2				
PIVOL	Ru	29.5	84.0	30.7	83.6				
PIM-1	De + Ru	39.3	86.7	36.6	85.7				
PIM-3	De + Ru + Ro + Uk	41.4	87.1	40.7	86.5				
PIM-5	De + Ru + Ro + Uk + It + Es	42.4	87.3	42.3	86.9				

Table 1: Experiments of GT-based PIM, direct and pivot translation on the FLORES-200. We provide k parallel languages denoted as PIM-k. Pivot row reports the best performance among all pivot translations in the first line and the performance of Russian in the second line.

where $\mathbf{M} = \{m_1, m_2, ..., m_k\}$ is a parallel language set containing k translations of the input. The template $f(\cdot)$ we used is neutral for both the input **X** and its translations **M**, making LLMs cannot distinguish them. Figure 2 shows the difference between the conventional ICL and our PIM when translating De \rightarrow En.

Due to the import of parallel languages, three aspects should be considered when constructing a PIM prompt, including the choice of languages, the choice of translators, and the display order of languages. As shown in Appendix D.1, our preliminary experiments suggest that: (1) choosing the language that LLMs understand better is crucial; (2) higher translation quality can lead to larger improvements; (3) it is preferable to place languages better understood at head and tail of the input sequence.

Experimental Settings. We conducted translation experiments on the FLORES-200 which allowed us to probe the upper bound of the performance by constructing PIM using human-translated parallel sentences in 200 languages. Direct and pivot translations were chosen as our baselines. We utilized two powerful instruction-tuned multilingual LLMs¹, including ChatGPT (gpt-3.5-turbo-0613) and Qwen-14B

(Qwen-14B-Chat) (Bai et al., 2023). ChatGPT was prompted with one-shot for baseline and PIM prompts. While Qwen-14B exhibited confusion when processing PIM prompts, so we made some instruction training data of PIM and baseline prompts, and employed the LoRA technique (Hu et al., 2022) to fine-tune Qwen-14B. More details can be found in Appendix E. The translation performance was evaluated in terms of SacreBLEU (Post, 2018) and COMET-22 (wmt22-comet-da) (Rei et al., 2022).

Results and Analyses. Table 1 delineates the performance of direct translation (Direct), pivot translation (Pivot) and PIM on three translation directions. We see, first of all, PIM achieves the best result among all the baselines especially when more parallel languages are used. Despite that the COMET score of some baselines reaches as high as 90, PIM still beats both direct and pivot translation with significant improvements. Furthermore, we find that PIM even benefits from parallel languages which performs worse than direct translation. For example, integrating Russian into PIM achieves better performance than the baseline. Besides, when English becomes the original input, PIM leads to a small performance increase. We attribute this to the fact that LLMs have shown great success in understanding English input, remaining a little improvement space.

2.2 Multiple Languages or Information Sources?

Due to the parallel languages are translated by numerous human experts in above experiments, one may argue that the improvement of PIM results from multiple information sources rather than languages. Specifically, multiple information sources can bring different perspectives of the original input, and translating inputs derived from human exports is like doing ensemble learning based on various strong translation systems. To separately quantify the effects of multiple languages and information sources, we decompose the GT-based PIM into three prompting strategies:

- Mono-source and monolingual: The original input is paraphrased into different versions without changing the semantics. We denote this prompt as PIM_{PA}.
- Multi-source but monolingual: The GT texts used in PIM are translated into the lan-

¹We also tried Bloomz (Muennighoff et al., 2023), however, compared to the performance on WMT, it showed deviant high performance on FLORES-200 indicating data leakage, which was also reported by Zhu et al. (2023).




Figure 3: The impact of ReLU-like activation functions on neurons during the forward process of transformer models. Figure (a) shows that, activation function $\sigma(\cdot)$ like ReLU and some of its variants, when encountering negative inputs, saturate to zero and weaken the values multiplied by their outputs. Figure (b) details the equivalence between artificial neurons and the linear-transform matrix of MLPs. Figure (c) illustrates that ReLU-like activation functions inhibit neurons in W_{up} and some weights of W_{down} when the input is negative.

Syste	em	BLEU	COMET	BLEU	COMET	
Direct	ion	De	$\rightarrow En$	$De \rightarrow Fr$		
	Direct	44.3	89.8	37.2	86.2	
	PIM_{PA}	36.4 ^{↓7.9}	$88.6^{\downarrow 1.1}$	34.8 ^{↓2.4}	$85.5^{\downarrow 0.7}$	
ChatGPT	PIM_{MS}	42.6 ^{↓1.7}	$89.4^{\downarrow 0.3}$	$37.1^{\downarrow 0.1}$	$86.0^{\downarrow 0.2}$	
	PIM_{ML}	$44.1^{\downarrow 0.2}$	89.7 $^{\downarrow 0.1}$	39.7 ^{↑2.5}	$86.6^{\uparrow0.4}$	
	PIM_{GT}	50.2	90.6	42.4	87.3	
	Direct	45.5	89.6	35.4	85.4	
	PIM_{PA}	$40.4^{\downarrow 5.1}$	$89.0^{\downarrow 0.6}$	31.8 ^{↓3.6}	$84.6^{\downarrow 0.8}$	
Qwen-14b	PIM_{MS}	46.6 ^{↑1.1}	90.0 ^{↑0.4}	36.5 ^{↑1.1}	86.1 ^{↑0.7}	
	PIM_{ML}	44.9 ^{↓0.6}	$89.6^{\uparrow 0.0}$	37.6 ^{↑2.2}	$86.0^{\uparrow 0.6}$	
	PIM_{GT}	56.3	91.1	42.8	87.0	
	Direct	44.9	89.9	39.0	86.5	
GPT-4	PIM_{MS}	43.6 ^{↓1.3}	$89.8^{\downarrow 0.1}$	39.6 ^{↑0.6}	87.0 ^{↑0.5}	
GF 1-4	PIM_{ML}	45.4 ^{↑0.5}	89.7 $^{\downarrow 0.1}$	40.1 ^{↑1.1}	$86.8^{\uparrow 0.2}$	
	PIM_{GT}	52.9	90.9	45.9	88.1	

Table 2: The ablation study of the mono-source and monolingual (PIM_{PA}), multi-source but monolingual (PIM_{MS}), multilingual but mono-source (PIM_{ML}), multi-source and multilingual (PIM_{GT}), i.e., GT-based PIM prompts on the FLORES-200. The best results are in bold among all the prompts except for PIM_{GT}.

guage of the original input by one translator. This prompt integrates different information sources but expresses in one language, e.g., we provide "De + De (Ru) + De (Fr) + De (Uk) + De (It) + De (Es)" to multilingual LLMs where the language in parentheses represents the GT text. We call it PIM_{MS}.

• **Multilingual but mono-source:** The original input is translated into different parallel languages by one translator. The source of this prompt is only the original input whereas the expression holds a multilingual form, like "De + Ru (De) + Fr (De) + Uk (De) + It (De) + Es (De)", which is represented by PIM_{ML}.

Experimental Settings. With access to Qwen-14B, ChatGPT and GPT-4 (gpt-4-0613), we conducted experiments on two translation directions of FLORES-200. The translation system used by both PIM_{MS} and PIM_{ML} prompt was the NLLB-54B model² (Costa-jussà et al., 2022). We derived the paraphrased sentences by requesting ChatGPT. Notably, Qwen-14B used in this experiment is different from the one in the previous experiment, as we have to fine-tune Qwen-14B with extra training data based on the PIM_{MS} prompt for fairness.

Results and Analyses. From the Table 2, we can see that both PIM_{MS} and PIM_{ML} prompt achieve improvement most of the time, while none of then can reach the same performance as the GT-based PIM prompt. In addition, the PIM_{ML} prompt far outperforms the PIM_{PA} prompt, which demonstrates that multilingual input helps LLMs again. Also, we see that despite of the similar baseline performance, GPT-4 always outperforms ChatGPT significantly when being armed with PIM, suggesting that stronger LLMs benefit more from the PIM.

3 PIM Can Help: From a View of Neuron Activation

Although multilingual LLMs benefit from PIM, there is still no idea about how this mechanism works. Considering that knowledge are memorized in different neurons in transformer models (Dai et al., 2022), hence a straightforward hypothesis is that giving the input in multiple languages may increase number of activated neurons in the inference

²We use the official translation results provided in https: //github.com/facebookresearch/fairseq/tree/nllb.




Figure 4: The COMET score and the activation proportion of Qwen-14B armed with different prompts on FLORES-200. Notably, whether a method inhibits or activates neurons depends on its activation proportion being below or above the baseline level. Thus, a point on the curves suggests inhibition \bigcirc if it falls below the first point, and activation \triangle if it exceeds the first point. * and † indicates the model used in Section 2.1 and 2.2, respectively.




Figure 5: The distribution of the top 1% of activated neurons in Qwen-14B on FLORES-200 De \rightarrow En. The horizontal axis represents different neurons arranged in descending order of the number of times being activated.

process. To quantify how many neurons in transformer model are activated during inference, some works propose to make statistics of the nonzero values in the intermediate output of multi-layer perceptrons (MLPs) after a ReLU activation function (Zhang et al., 2022; Li et al., 2023). This is based on the idea that, in matrix multiplication, zero can be omitted; therefore, neurons that output zero are considered inhibited while others are activated. Next, we will explain this statistical method.

3.1 Method of Counting Activated Neurons

ReLU controls the life and death of neurons. In transformer models, the activation function $\sigma(\cdot)$ lays in the middle of the two-layer MLPs, like this:

$$\mathbf{Y} = \sigma \left(\mathbf{X} \mathbf{W}_{\rm up} \right) \mathbf{W}_{\rm down} \tag{3}$$

where **X** and **Y** stand for input and output, respectively. \mathbf{W}_{up} and \mathbf{W}_{down} represent different MLP layers containing artificial neurons. The vanilla transformer uses ReLU as the activation function (Vaswani et al., 2017), i.e., $\max(x, 0)$. In Figure 3 (b) and (c), ReLU outputs zero value means two aspects: the neuron in \mathbf{W}_{up} is inhibited and stripped from the whole neural network; the weight in \mathbf{W}_{down} that accepts the zero value is inhibited.

Met	hod	COMET	AP	COMET	AP	
Direction		$ De \rightarrow De$	En	$De \rightarrow Fr$		
w/o FT	0-shot	89.0	28.7	84.8	27.7	
	5-shot	89.3	28.5	85.0	27.6	
w/ FT	0-shot	89.5	28.1	85.3	27.2	
	5-shot	89.3	27.8	84.9	27.1	

Table 3: The translation performance and activation proportion (AP) of zero-shot and few-shot on Qwen-14B w/ or w/o fine-tuning (FT).

Counting inhibited neurons in MLPs with ReLU variants. Despite the success of ReLU, recent works find that making a ReLU-like non-linearity to output negative values can result in an increase of training speed (Clevert et al., 2016; Hendrycks and Gimpel, 2016). Hence, as shown in Table 8, these variants of ReLU become popular among LLMs. We draw ReLU, GELU and SiLU in Figure 3 (a). We see, despite both GELU and SiLU perform as a smooth ReLU, they remain the basic character, i.e., saturating to zero at negative input values and protecting positive input values. In other words, these ReLU variants significantly reduce the absolute value of any negative input to a level that is close to or equal to zero. As a result, some neurons and weights inhibited as before. This motivates us to make statistics of activated neurons in MLPs with ReLU variants by counting the output values of the activation function that are greater than zero.

Other works combine GELU and SiLU with the gated linear units (Shazeer, 2020) like this:

$$\mathbf{Y} = (\sigma \left(\mathbf{X} \mathbf{W}_{up} \right) \odot \left(\mathbf{X} \mathbf{V}_{up} \right)) \mathbf{W}_{down} \qquad (4)$$

where \odot is the element-wise product and a new matrix $V_{\rm up}$ is introduced to perform the gate. If we transform the formula into this:

$$\mathbf{Y} = \sigma \left(\mathbf{X} \mathbf{W}_{up} \right) \left(\mathbf{X} \mathbf{V}_{up} \odot \mathbf{W}_{down}^{\top} \right)^{\top}$$
(5)

then we can consider $\mathbf{X}\mathbf{V}_{up} \odot \mathbf{W}_{down}^{\top}$ as a whole, and both inhibiting neurons and weights happen as

before. Thus, our statistical method of activated neurons remains unchanged.

3.2 Experiments and Results

Figure 4 shows performances and the proportion of activated neurons³ on Qwen-14B models. From the results, we get the following observations:

Activated neurons are far fewer than inhibited ones. Despite of preforming dense computations, a small amount of neurons around 27% are activated in Qwen-14B during the inference stage, which is similar to the sparse activation phenomenon observed by Li et al. (2023). Besides, as the differences in the proportion of activated neurons are small in numerical terms, we attribute this to the find that few parameters are in charge of linguistic competence in LLMs (Zhao et al., 2023).

More languages, more inhibited neurons, more performance gain. As shown in Figure 4 (a) and (b), if we add more parallel languages in PIM, then the proportion of activated neurons becomes small meanwhile LLM yields better translations, indicating a consistently correlation between inhibiting neurons and performance improvements. Table 3 shows the results of few-shot, which suggests that few-shot also inhibits neurons and more neurons are inhibited after the LLM being fine-tuned.

Multilingual input inhibits neurons whereas monolingual input activates neurons. Figure 4 (c) and (d) show the proportion of activated neurons caused by monolingual and multilingual input. We see that, compared to direct translation, though monolingual and multilingual input can achieve better performance, their influence on neurons are opposite, i.e., monolingual input activates neurons whereas multilingual input inhibits neurons. Moreover, PIM_{GT} inhibits more neurons than PIM_{ML} and PIM_{MS} activates more neurons than PIM_{PA}.

PIM simulates synaptic pruning. During the maturation of biological brains, synaptic pruning is a necessary process that removes less commonly used neural connections, thus making frequently-used neural pathways more powerful and efficient (Huttenlocher et al., 1979; Huttenlocher, 1990). In other words, brain benefits from little and precise neuron activation. We show that PIM simulates

synaptic pruning from two aspects: (1) as demonstrated above, PIM *inhibits neurons;* (2) PIM *promotes more precise neuron activation.* As shown in Figure 5, compared to baseline prompt, PIM promotes the activation of top 1% of neurons commonly used. At the same time, other neurons less commonly used are activated fewer times to perform an overall effect of inhibition, as shown in Figure 6. This indicates that more precise neuron activation, i.e., some of important neurons are activated more times which others are activated less times, could be promoted by PIM. And both neuron inhibition and precious activation will be enhanced when more languages are used.

Notably, we also report statistical results of other LLMs in the next section, which consistently suggests the same conclusions as above.

4 Wide Applications of PIM

In this section, we focus on evaluating the effectiveness of PIM method across sentence and paragraph level, natural language understanding (NLU) and generation (NLG) tasks.

4.1 Tasks and Evaluation

Machine Translation. We conducted experiments on five high-resource translations of WMT22 and one low-resource translation of WMT21. SacreBLEU and COMET-22 were the metrics.

Nature Language Inference. We chose RTE (Wang et al., 2019) and three languages in XNLI (Conneau et al., 2018). The metric was accuracy.

Reading Comprehension. We did evaluation on this long sequences task using $BoolQ^4$ (Clark et al., 2019). Our metric was accuracy.

Text Simplification. We used Asset (Alva-Manchego et al., 2020) and Wiki-auto (Jiang et al., 2020), and SARI⁵ (Alva-Manchego et al., 2020) was chosen as the metric.

Abstractive Summarization. For this paragraph level task, we mainly reported the performance on two languages in XLSum (Hasan et al., 2021). The metric was F1-Rouge⁶ (Lin, 2004).

To streamline computation during evaluation, we constructed our test set by randomly selecting 1000 samples from BoolQ, Wiki-auto and XLSum, along

³Note that the proportion mentioned is derived by averaging the percentages of activated neurons for each token generated by an LLM across the dataset. We discuss this implement in detail in Appendix B.

⁴This dataset is also leaked to Bloomz-176B.

⁵https://github.com/feralvam/easse

⁶https://github.com/Isaac-JL-Chen/rouge_ chinese

System		BLEU	COMET										
Direction	n	De	$\rightarrow En$	Zh	$\rightarrow En$	De	$\rightarrow Fr$	En	$\rightarrow De$	En	$\rightarrow Zh$	Is	$\rightarrow En$
Parallel Lang	uages	Es Ru F	Fr Zh Ja Cs	Es Ru F	r Ja Cs De	En Ru E	Es Zh It Cs	Es Ru F	r Zh Ja Cs	Es Ru F	r Ja Cs De	Es Ru F	r It Cs De
	Direct	29.8	82.7	24.7	81.9	38.6	84.1	34.5	87.2	43.8	87.2	35.6	84.5
	Pivot	28.5	84.0	21.6	81.9	40.4	84.0	30.0	86.4	40.3	86.0	35.0	85.6
ChatGPT*	PIM-1	32.4	85.3	24.6	82.8	40.9	84.5	34.0	87.3	41.8	86.5	38.0	86.4
	PIM-3	32.1	85.4	23.4	82.6	41.1	84.5	34.5	87.5	41.7	86.9	38.2	86.6
	PIM-6	31.6	85.5	18.6	82.4	41.3	84.5	34.5	87.6	41.7	86.9	38.5	86.7
	Direct	28.4	83.1	21.2	80.0	27.0	78.6	24.0	82.8	41.4	87.1	12.7	63.3
	Pivot	27.0	83.2	20.8	81.3	33.2	81.5	22.2	82.0	35.1	85.1	33.5	85.0
Qwen-7B [†]	PIM-1	30.2	84.3	22.8	81.7	32.9	81.7	24.5	82.7	42.2	87.0	33.4	84.6
	PIM-3	30.7	84.7	22.6	82.0	34.6	82.0	25.7	83.5	41.6	87.1	36.1	85.8
	PIM-6	30.4	84.7	21.3	81.3	34.8	82.3	22.2	82.9	42.3	87.1	36.6	85.8
	Direct	30.4	84.4	23.7	80.8	34.2	81.9	29.6	85.3	45.2	87.6	18.4	69.7
	Pivot	28.2	84.0	22.4	81.8	37.4	82.7	26.9	84.7	41.2	86.3	34.1	85.4
Qwen-14B [†]	PIM-1	31.3	84.8	24.3	82.0	38.0	83.1	29.7	85.4	45.1	87.6	35.6	85.1
	PIM-3	31.6	84.9	23.5	82.0	37.7	83.4	30.0	85.8	44.9	87.6	37.2	85.6
	PIM-6	31.0	84.9	22.0	81.3	38.4	83.4	29.9	85.5	45.2	87.6	37.9	85.7
	Direct	28.1	83.8	21.6	79.6	27.1	79.2	29.6	85.5	36.9	85.8	34.0	85.8
	Pivot	26.0	83.3	21.7	81.2	29.9	80.3	26.4	84.8	32.3	84.6	32.7	85.2
ALMA-13B [†]	PIM-1	29.9	84.6	23.8	81.8	31.1	80.8	29.7	85.3	36.9	85.9	37.0	86.3
	PIM-3	30.8	85.0	22.9	81.8	33.3	81.5	29.9	86.0	36.9	86.0	38.3	86.5
	PIM-6	30.0	84.9	18.1	79.5	33.3	81.5	29.9	85.9	37.2	86.0	38.2	86.3
	Direct	25.1	82.2	13.7	76.2	27.9	78.5	17.6	77.3	26.0	83.1	29.9	83.9
	Pivot	24.5	82.5	19.3	80.7	30.5	80.0	17.4	78.5	23.8	82.1	30.8	84.6
mT0-13B*	PIM-1	27.0	83.4	18.3	79.9	29.9	79.4	17.4	76.5	25.5	82.4	33.0	84.9
	PIM-3	27.6	83.5	19.6	80.7	32.4	80.4	16.0	74.4	27.5	82.9	33.8	85.4
	PIM-6	26.8	83.3	19.5	80.5	32.2	80.4	15.5	74.5	28.5	83.3	33.9	85.3
	Direct	24.0	78.4	16.0	76.4	27.3	77.1	13.0	70.7	29.5	83.9	5.6	53.8
	Pivot	25.0	82.8	20.8	81.3	34.6	82.1	9.5	66.2	27.6	82.6	31.5	84.6
Bloomz-176B*	PIM-1	25.4	80.7	17.3	77.6	33.1	80.4	11.9	70.0	28.0	82.4	23.5	75.8
	PIM-3	28.2	83.9	21.1	81.2	35.7	82.2	16.0	73.9	31.7	83.8	31.8	83.7
	PIM-6	28.3	83.8	21.7	81.4	36.6	82.9	15.0	73.5	32.4	84.7	34.0	84.2

Table 4: Experiments on the WMT dataset. Note that the pivot row displays the maximum scores among all pivot prompts, and the order of the parallel languages indicates the priority when being integrated into PIM-k prompts. \dagger and * represent the model is fine-tuned or not respectively.

with 3000 samples from XNLI, leaving other test sets unchanged.

4.2 Models

The experiment was conducted on 8 instructiontuned SoTA multilingual LLMs whose parameters range from 7B to 176B, including ChatGPT, Bloomz-176B (Muennighoff et al., 2023), Qwen-7B, -14B, -72B (Bai et al., 2023), ALMA-13B (Xu et al., 2023), Yi-34B (01-ai, 2023) and mT0-13B (Scao et al., 2022). All of them are pre-trained with multilingual corpus except for ALMA-13B which is specially fine-tuned for the MT task based on LLaMA-2 (Touvron et al., 2023). Except for Chat-GPT, Bloomz-176B and mT0-13B, models were fine-tuned to recognize PIM prompts via LoRA. Details about models, training and decoding setups can be found in Appendix E.

4.3 Baselines

Direct Prompt means that given the original input, LLMs accomplish the task directly. Here, we report the results of one-shot on ChatGPT while zero-shot on others for the best performance. **Pivot Prompt** indicates that the original input is translated into a parallel language, and LLMs are fed with the translation to accomplish the task. To make sure the high quality of translations, we utilized GPT-4 to translate the source sentence of WMT and ChatGPT to translate other datasets. We display the maximum scores of pivot prompts, see Appendix F for full results.

4.4 Results and Analyses

PIM effectively pushes the boundaries across many tasks and languages. Table 4 suggests that PIM achieves superior results across 6 translation directions including high-resource and lowresource source languages. Furthermore, in Table 9, by comparing the performance of few-shot and PIM, we see PIM outperforms few-shot, especially in terms of the COMET score. Additionally, Tables 5 and 6 show PIM's competitive edge against baselines in various tasks, irrespective of text length.

Automatic translation can trigger learning from PIM. Since lack of high-quality human translation, all of translations used in experiments come from GPT-4 or ChatGPT. We see, on the one hand, PIM powered by MT outperforms pivot prompts.

			A	Accuracy		
System		RTE			BoolQ	
Source Lang	uage	En	Fr	De	Zh	En
Parallel Lang	uages	Es Fr De	Es Ru De	Es Ru Fr	Es Fr De	Es
	Direct	91.3	79.9	76.7	78.2	86.0
Qwen-7B*	Pivot	86.6	78.9	80.2	74.2	83.3
	PIM	91.7	80.7	80.6	80.7	86.7
	Direct	91.3	81.5	78.2	80.6	88.5
Qwen-14B*	Pivot	90.6	80.5	79.8	74.2	86.0
	PIM	92.4	81.6	80.7	80.7	89.0
	Direct	91.7	86.4	84.4	84.6	91.2
Qwen-72B*	Pivot	92.4	85.8	85.5	80.6	89.1
	PIM	92.4	86.4	85.6	84.6	91.9
	Direct	89.5	82.1	79.3	77.5	86.5
ALMA-13B*	Pivot	84.5	82.0	80.8	75.9	81.1
	PIM	90.3	83.8	81.9	78.8	87.4
	Direct	92.1	70.0	66.8	72.0	89.6
Yi-34B*	Pivot	85.9	71.5	72.6	68.1	86.8
	PIM	93.1	73.1	73.7	72.6	90.2
	Direct	76.5	53.9	50.5	53.9	-
Bloomz-176B [†]	Pivot	77.6	53.1	53.3	53.7	-
	PIM	82.0	57.3	52.5	54.9	-

Table 5: Experiments on NLU tasks. We apply PIM-3 across all tasks, with the exception of the reading comprehension task, for which we apply PIM-1.

Even though some pivot prompts have inferior performance than the direct prompt, integrating these languages into PIM still boosts the comprehension of LLMs. On the other hand, Figure 10 shows that PIM armed with MT achieves improvements by inhibiting neurons and promoting more precious activation. Moreover, Table 7 and Figure 6 suggests that combining few-shot and PIM enhances neuron inhibition and precious activation.

Extensive models benefit from PIM (1) that are fine-tuned by our instruction data or not; (2) whose parameters range from 7B to 176B; (3) which are not massively pre-trained with non-English corpus, such as ChatGPT⁷ and ALMA.

Superiority of PIM remains when English is the original or parallel language. Despite the subtle improvements on FLORES-200 En \rightarrow De in Section 2.1, results of RTE, BoolQ and WMT De \rightarrow Fr show that PIM not only achieves prime performance on English-source inputs, but also outperforms all pivot prompts when we choose English as one of parallel languages.

We discuss the trade-off between the inference speed and improvements of PIM in Appendix D.3.

5 Related Work

Multi-way Neural Machine Translation. Multiway input is a successful method to enhance MNMT by providing the source language and its

		S.	ARI	R2 /	'RL		
System	System		Wiki-Auto	XLSum			
Source Lang	guage	En	En	Es	Ru		
Parallel Lang	guages	Es Fr De	Es Fr De	Fr	Es		
	Direct	40.7	45.6	10.7 / 23.5	45.4 / 41.6		
Qwen-7B*	Pivot	43.9	43.2	9.4 / 22.7	41.1 / 38.6		
	PIM	41.1	47.6	11.0 / 23.6	45.3 / 41.1		
	Direct	41.2	46.2	12.2 / 24.7	46.6 / 42.7		
Qwen-14B*	Pivot	44.4	43.8	9.0/21.4	40.2 / 38.3		
	PIM	42.4	48.9	12.7 / 25.4	47.9 / 43.1		
	Direct	41.8	45.7	12.1 / 24.8	47.7/43.5		
ALMA-13B*	Pivot	43.5	43.2	10.4 / 22.9	44.3 / 41.2		
	PIM	41.9	47.5	11.5 / 24.5	47.7 / 43.9		
	Direct	41.5	45.4	11.8 / 24.6	45.4 / 41.5		
Yi-34B*	Pivot	43.3	43.5	10.6 / 23.3	41.7 / 38.8		
	PIM	43.0	47.2	12.0 / 24.6	45.5 / 41.8		

Table 6: Experiments on other NLG tasks. We employ PIM-3 and PIM-1 for the text simplification and abstractive summarization task respectively.

	Qwei	n-14B		Bloomz-176B				
XNLI (De) Wiki-Auto				R	ТЕ			
Direct	PIM-3	Direct	PIM-3	Direct	PIM-3	5-shot	5-shot + PIM-3	
Acci	uracy	SA	RI	Accuracy				
78.2	80.7	46.2	49.0	76.5	82.0	80.1	81.2	
Activation Proportion (%)				Activation Proportion (%)				
29.5	29.3	28.7	28.4	4.4	4.3	4.1	3.9	

Table 7: The performance and activation proportion of conventional ICL and PIM on NLU and NLG tasks.

translations in different languages (Och and Ney, 2001). In the inference stage, most works rely on the high quality translations from human experts (Zoph and Knight, 2016; Firat et al., 2016b; Nishimura et al., 2018; Choi et al., 2018). However, this GT multilingual data is scarce in reality, limiting the application of multi-way input. Different from these works, we demonstrate that providing PIM translated by automatic MT to multilingual LLMs can achieve improvements on various tasks.

Statistics of Activated Neurons in Transformer Models. Recently, statistics of activated neurons in transformer models by counting nonzero values in the output of ReLU is introduced by Zhang et al. (2022). Moreover, Li et al. (2023) show that the sparse activation of neurons is an ubiquitous phenomenon. In this work, we extend the statistical method to advanced transformer architectures. We hope this effort can help deepen our insights of the learning mechanism behind LLMs.

Cross-lingual In-context Learning. Several works have investigated cross-lingual prompts (Wang et al., 2023; Shi et al., 2023). One line of research requests LLMs to address the input problem in multiple languages orderly, then emphasizes self-

⁷https://github.com/openai/gpt-3/tree/master/ dataset_statistics

consistency by aligning results of these languages to improve performance on reasoning tasks (Qin et al., 2023). To augment LLMs' efficiency with multilingual input, other works encourage LLMs to rephrase the input in English and then perform stepby-step analysis, indeed turning English into a pivot language (Huang et al., 2023; Zhang et al., 2023). Our work, in contrast, explores the behaviour of multilingual LLMs that learns from parallel input in multiple languages simultaneously, thereby revealing new aspects of ICL proficiency.

6 Conclusions

We reveal that multilingual LLMs benefit from parallel multilingual input. Firstly, comprehensive experiments across 8 typical datasets, 8 SoTA multilingual LLMs, and 7 languages demonstrate the effectiveness and applicability of our PIM. Secondly, statistics of activated neurons indicate that PIM achieves improvements by inhibiting neurons and promoting more precious activation, which mirrors the synaptic pruning happening in brains.

7 Limitations

In fact, during the inference, LLMs will inevitably refer to the semantics of the translation in PIM to understand the input comprehensively. As a result, though our extensive experiments have demonstrated that multilingual LLMs can benefit from the parallel input in multiple languages, the quality of translation will influence the final performance. On the other hand, we do not discuss the effect of cross-language such as code-switch multilingual prompts because it deviates from the intention of PIM, i.e., providing parallel input. However, it is still a potential direction and we leave it for future work.

Acknowledgements

This work was supported in part by the National Science Foundation of China (No.62276056), the Natural Science Foundation of Liaoning Province of China (2022-KF-16-01), the Fundamental Research Funds for the Central Universities (Nos. N2216016, N2216001, and N2216002), the Yunnan Fundamental Research Projects (No. 202401BC070021), and the Program of Introducing Talents of Discipline to Universities, Plan 111 (No.B16009). The authors would like to thank Chi Hu and Erfeng He for their advice.

References

- 01-ai. 2023. A series of large language models trained from scratch by developers at 01-ai. https://github.com/01-ai/Yi.
- Fernando Alva-Manchego, Louis Martin, Antoine Bordes, Carolina Scarton, Benoît Sagot, and Lucia Specia. 2020. ASSET: A dataset for tuning and evaluation of sentence simplification models with multiple rewriting transformations. In *Proceedings of the* 58th Annual Meeting of the Association for Computational Linguistics, ACL 2020, Online, July 5-10, 2020, pages 4668–4679. Association for Computational Linguistics.
- Duarte Alves, Nuno Miguel Guerreiro, João Alves, José Pombal, Ricardo Rei, José Guilherme Camargo de Souza, Pierre Colombo, and André Martins. 2023. Steering large language models for machine translation with finetuning and in-context learning. In *Findings of the Association for Computational Linguistics: EMNLP 2023, Singapore, December 6-10,* 2023, pages 11127–11148. Association for Computational Linguistics.
- Rohan Anil, Andrew M. Dai, Orhan Firat, Melvin Johnson, Dmitry Lepikhin, Alexandre Passos, Siamak Shakeri, Emanuel Taropa, Paige Bailey, Zhifeng Chen, Eric Chu, Jonathan H. Clark, Laurent El Shafey, Yanping Huang, Kathy Meier-Hellstern, Gaurav Mishra, Erica Moreira, Mark Omernick, Kevin Robinson, Sebastian Ruder, Yi Tay, Kefan Xiao, Yuanzhong Xu, Yujing Zhang, Gustavo Hernández Ábrego, Junwhan Ahn, Jacob Austin, Paul Barham, Jan A. Botha, James Bradbury, Siddhartha Brahma, Kevin Brooks, Michele Catasta, Yong Cheng, Colin Cherry, Christopher A. Choquette-Choo, Aakanksha Chowdhery, Clément Crepy, Shachi Dave, Mostafa Dehghani, Sunipa Dev, Jacob Devlin, Mark Díaz, Nan Du, Ethan Dyer, Vladimir Feinberg, Fangxiaoyu Feng, Vlad Fienber, Markus Freitag, Xavier Garcia, Sebastian Gehrmann, Lucas Gonzalez, and Palm 2 technical report. CoRR, et al. 2023. abs/2305.10403.
- Jinze Bai, Shuai Bai, Yunfei Chu, Zeyu Cui, Kai Dang, Xiaodong Deng, Yang Fan, Wenbin Ge, Yu Han, Fei Huang, Binyuan Hui, Luo Ji, Mei Li, Junyang Lin, Runji Lin, Dayiheng Liu, Gao Liu, Chengqiang Lu, Keming Lu, Jianxin Ma, Rui Men, Xingzhang Ren, Xuancheng Ren, Chuanqi Tan, Sinan Tan, Jianhong Tu, Peng Wang, Shijie Wang, Wei Wang, Shengguang Wu, Benfeng Xu, Jin Xu, An Yang, Hao Yang, Jian Yang, Shusheng Yang, Yang Yao, Bowen Yu, Hongyi Yuan, Zheng Yuan, Jianwei Zhang, Xingxuan Zhang, Yichang Zhang, Zhenru Zhang, Chang Zhou, Jingren Zhou, Xiaohuan Zhou, and Tianhang Zhu. 2023. Qwen technical report. *CoRR*, abs/2309.16609.
- Tom B. Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, Sandhini Agarwal, Ariel Herbert-Voss, Gretchen Krueger, Tom Henighan, Rewon Child,

Aditya Ramesh, Daniel M. Ziegler, Jeffrey Wu, Clemens Winter, Christopher Hesse, Mark Chen, Eric Sigler, Mateusz Litwin, Scott Gray, Benjamin Chess, Jack Clark, Christopher Berner, Sam McCandlish, Alec Radford, Ilya Sutskever, and Dario Amodei. 2020. Language models are few-shot learners. In Advances in Neural Information Processing Systems 33: Annual Conference on Neural Information Processing Systems 2020, NeurIPS 2020, December 6-12, 2020, virtual.

- Gyu-Hyeon Choi, Jong-Hun Shin, and Young Kil Kim. 2018. Improving a multi-source neural machine translation model with corpus extension for lowresource languages. In Proceedings of the Eleventh International Conference on Language Resources and Evaluation, LREC 2018, Miyazaki, Japan, May 7-12, 2018. European Language Resources Association (ELRA).
- Christopher Clark, Kenton Lee, Ming-Wei Chang, Tom Kwiatkowski, Michael Collins, and Kristina Toutanova. 2019. Boolq: Exploring the surprising difficulty of natural yes/no questions. In Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, NAACL-HLT 2019, Minneapolis, MN, USA, June 2-7, 2019, Volume 1 (Long and Short Papers), pages 2924–2936. Association for Computational Linguistics.
- Djork-Arné Clevert, Thomas Unterthiner, and Sepp Hochreiter. 2016. Fast and accurate deep network learning by exponential linear units (elus). In 4th International Conference on Learning Representations, ICLR 2016, San Juan, Puerto Rico, May 2-4, 2016, Conference Track Proceedings.
- Alexis Conneau, Ruty Rinott, Guillaume Lample, Adina Williams, Samuel R. Bowman, Holger Schwenk, and Veselin Stoyanov. 2018. XNLI: evaluating crosslingual sentence representations. In Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing, Brussels, Belgium, October 31 - November 4, 2018, pages 2475–2485. Association for Computational Linguistics.
- Marta R. Costa-jussà, James Cross, Onur Çelebi, Maha Elbavad, Kenneth Heafield, Kevin Heffernan, Elahe Kalbassi, Janice Lam, Daniel Licht, Jean Maillard, Anna Sun, Skyler Wang, Guillaume Wenzek, Al Youngblood, Bapi Akula, Loïc Barrault, Gabriel Mejia Gonzalez, Prangthip Hansanti, John Hoffman, Semarley Jarrett, Kaushik Ram Sadagopan, Dirk Rowe, Shannon Spruit, Chau Tran, Pierre Andrews, Necip Fazil Ayan, Shruti Bhosale, Sergey Edunov, Angela Fan, Cynthia Gao, Vedanuj Goswami, Francisco Guzmán, Philipp Koehn, Alexandre Mourachko, Christophe Ropers, Safiyyah Saleem, Holger Schwenk, and Jeff Wang. 2022. No language left behind: Scaling human-centered machine translation. CoRR, abs/2207.04672.
- Damai Dai, Li Dong, Yaru Hao, Zhifang Sui, Baobao Chang, and Furu Wei. 2022. Knowledge neurons

in pretrained transformers. In *Proceedings of the* 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), ACL 2022, Dublin, Ireland, May 22-27, 2022, pages 8493– 8502. Association for Computational Linguistics.

- Orhan Firat, Kyunghyun Cho, and Yoshua Bengio. 2016a. Multi-way, multilingual neural machine translation with a shared attention mechanism. In NAACL HLT 2016, The 2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, San Diego California, USA, June 12-17, 2016, pages 866– 875. The Association for Computational Linguistics.
- Orhan Firat, Baskaran Sankaran, Yaser Al-Onaizan, Fatos T. Yarman-Vural, and Kyunghyun Cho. 2016b. Zero-resource translation with multi-lingual neural machine translation. In Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing, EMNLP 2016, Austin, Texas, USA, November 1-4, 2016, pages 268–277. The Association for Computational Linguistics.
- Tahmid Hasan, Abhik Bhattacharjee, Md. Saiful Islam, Kazi Samin Mubasshir, Yuan-Fang Li, Yong-Bin Kang, M. Sohel Rahman, and Rifat Shahriyar. 2021. XI-sum: Large-scale multilingual abstractive summarization for 44 languages. In Findings of the Association for Computational Linguistics: ACL/IJCNLP 2021, Online Event, August 1-6, 2021, volume ACL/IJCNLP 2021 of Findings of ACL, pages 4693–4703. Association for Computational Linguistics.
- Dan Hendrycks and Kevin Gimpel. 2016. Gaussian error linear units (gelus). *arXiv preprint arXiv:1606.08415*.
- hiyouga. 2023. Llama factory. https://github.com/ hiyouga/LLaMA-Factory.
- Edward J. Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen. 2022. Lora: Low-rank adaptation of large language models. In *The Tenth International Conference on Learning Representations, ICLR 2022, Virtual Event, April 25-29, 2022.* OpenReview.net.
- Haoyang Huang, Tianyi Tang, Dongdong Zhang, Xin Zhao, Ting Song, Yan Xia, and Furu Wei. 2023. Not all languages are created equal in llms: Improving multilingual capability by cross-lingual-thought prompting. In *Findings of the Association for Computational Linguistics: EMNLP 2023, Singapore, December 6-10, 2023*, pages 12365–12394. Association for Computational Linguistics.
- Peter R Huttenlocher. 1990. Morphometric study of human cerebral cortex development. *Neuropsychologia*, 28(6):517–527.
- Peter R Huttenlocher et al. 1979. Synaptic density in human frontal cortex-developmental changes and effects of aging. *Brain Res*, 163(2):195–205.

- Chao Jiang, Mounica Maddela, Wuwei Lan, Yang Zhong, and Wei Xu. 2020. Neural CRF model for sentence alignment in text simplification. In Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, ACL 2020, Online, July 5-10, 2020, pages 7943–7960. Association for Computational Linguistics.
- Zonglin Li, Chong You, Srinadh Bhojanapalli, Daliang Li, Ankit Singh Rawat, Sashank J. Reddi, Ke Ye, Felix Chern, Felix X. Yu, Ruiqi Guo, and Sanjiv Kumar. 2023. The lazy neuron phenomenon: On emergence of activation sparsity in transformers. In *The Eleventh International Conference on Learning Representations, ICLR 2023, Kigali, Rwanda, May* 1-5, 2023. OpenReview.net.
- Chin-Yew Lin. 2004. ROUGE: A package for automatic evaluation of summaries. In *Text Summarization Branches Out*, pages 74–81, Barcelona, Spain. Association for Computational Linguistics.
- Niklas Muennighoff, Thomas Wang, Lintang Sutawika, Adam Roberts, Stella Biderman, Teven Le Scao, M. Saiful Bari, Sheng Shen, Zheng Xin Yong, Hailey Schoelkopf, Xiangru Tang, Dragomir Radev, Alham Fikri Aji, Khalid Almubarak, Samuel Albanie, Zaid Alyafeai, Albert Webson, Edward Raff, and Colin Raffel. 2023. Crosslingual generalization through multitask finetuning. In Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), ACL 2023, Toronto, Canada, July 9-14, 2023, pages 15991–16111. Association for Computational Linguistics.
- Yuta Nishimura, Katsuhito Sudoh, Graham Neubig, and Satoshi Nakamura. 2018. Multi-source neural machine translation with data augmentation. In Proceedings of the 15th International Conference on Spoken Language Translation, IWSLT 2018, Bruges, Belgium, October 29-30, 2018, pages 48–53. International Conference on Spoken Language Translation.
- Franz Josef Och and Hermann Ney. 2001. Statistical multi-source translation. In *Proceedings of Machine Translation Summit VIII, MTSummit 2001, Santiago de Compostela, Spain, September 18-22, 2001.*
- OpenAI. 2023. GPT-4 technical report. CoRR, abs/2303.08774.
- Matt Post. 2018. A call for clarity in reporting BLEU scores. In Proceedings of the Third Conference on Machine Translation: Research Papers, WMT 2018, Belgium, Brussels, October 31 - November 1, 2018, pages 186–191. Association for Computational Linguistics.
- Libo Qin, Qiguang Chen, Fuxuan Wei, Shijue Huang, and Wanxiang Che. 2023. Cross-lingual prompting: Improving zero-shot chain-of-thought reasoning across languages. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language*

Processing, EMNLP 2023, Singapore, December 6-10, 2023, pages 2695–2709. Association for Computational Linguistics.

- Ricardo Rei, José G. C. de Souza, Duarte M. Alves, Chrysoula Zerva, Ana C. Farinha, Taisiya Glushkova, Alon Lavie, Luísa Coheur, and André F. T. Martins. 2022. COMET-22: unbabel-ist 2022 submission for the metrics shared task. In *Proceedings of the Seventh Conference on Machine Translation, WMT* 2022, Abu Dhabi, United Arab Emirates (Hybrid), December 7-8, 2022, pages 578–585. Association for Computational Linguistics.
- Teven Le Scao, Angela Fan, Christopher Akiki, Ellie Pavlick, Suzana Ilic, Daniel Hesslow, Roman Castagné, Alexandra Sasha Luccioni, Francois Yvon, Matthias Gallé, Jonathan Tow, Alexander M. Rush, Stella Biderman, Albert Webson, Pawan Sasanka Ammanamanchi, Thomas Wang, Benoît Sagot, Niklas Muennighoff, Albert Villanova del Moral, Olatunji Ruwase, Rachel Bawden, Stas Bekman, Angelina McMillan-Major, Iz Beltagy, Huu Nguyen, Lucile Saulnier, Samson Tan, Pedro Ortiz Suarez, Victor Sanh, Hugo Laurençon, Yacine Jernite, Julien Launay, Margaret Mitchell, Colin Raffel, Aaron Gokaslan, Adi Simhi, Aitor Soroa, Alham Fikri Aji, Amit Alfassy, Anna Rogers, Ariel Kreisberg Nitzav, Canwen Xu, Chenghao Mou, Chris Emezue, Christopher Klamm, Colin Leong, Daniel van Strien, David Ifeoluwa Adelani, and et al. 2022. BLOOM: A 176b-parameter open-access multilingual language model. CoRR, abs/2211.05100.
- Noam Shazeer. 2020. GLU variants improve transformer. *CoRR*, abs/2002.05202.
- Freda Shi, Mirac Suzgun, Markus Freitag, Xuezhi Wang, Suraj Srivats, Soroush Vosoughi, Hyung Won Chung, Yi Tay, Sebastian Ruder, Denny Zhou, Dipanjan Das, and Jason Wei. 2023. Language models are multilingual chain-of-thought reasoners. In *The Eleventh International Conference on Learning Representations, ICLR 2023, Kigali, Rwanda, May 1-5, 2023.* OpenReview.net.
- Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, Dan Bikel, Lukas Blecher, Cristian Canton-Ferrer, Moya Chen, Guillem Cucurull, David Esiobu, Jude Fernandes, Jeremy Fu, Wenyin Fu, Brian Fuller, Cynthia Gao, Vedanuj Goswami, Naman Goyal, Anthony Hartshorn, Saghar Hosseini, Rui Hou, Hakan Inan, Marcin Kardas, Viktor Kerkez, Madian Khabsa, Isabel Kloumann, Artem Korenev, Punit Singh Koura, Marie-Anne Lachaux, Thibaut Lavril, Jenya Lee, Diana Liskovich, Yinghai Lu, Yuning Mao, Xavier Martinet, Todor Mihaylov, Pushkar Mishra, Igor Molybog, Yixin Nie, Andrew Poulton, Jeremy Reizenstein, Rashi Rungta, Kalyan Saladi, Alan Schelten, Ruan Silva, Eric Michael Smith, Ranjan Subramanian, Xiaoqing Ellen Tan, Binh Tang, Ross Taylor, Adina Williams, Jian Xiang Kuan, Puxin Xu, Zheng Yan, Iliyan Zarov, Yuchen Zhang, Angela Fan,

Melanie Kambadur, Sharan Narang, Aurélien Rodriguez, Robert Stojnic, Sergey Edunov, and Thomas Scialom. 2023. Llama 2: Open foundation and finetuned chat models. *CoRR*, abs/2307.09288.

- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz Kaiser, and Illia Polosukhin. 2017. Attention is all you need. In Advances in Neural Information Processing Systems 30: Annual Conference on Neural Information Processing Systems 2017, December 4-9, 2017, Long Beach, CA, USA, pages 5998–6008.
- Alex Wang, Yada Pruksachatkun, Nikita Nangia, Amanpreet Singh, Julian Michael, Felix Hill, Omer Levy, and Samuel R. Bowman. 2019. Superglue: A stickier benchmark for general-purpose language understanding systems. In Advances in Neural Information Processing Systems 32: Annual Conference on Neural Information Processing Systems 2019, NeurIPS 2019, December 8-14, 2019, Vancouver, BC, Canada, pages 3261–3275.
- Jiaan Wang, Yunlong Liang, Fandong Meng, Zhixu Li, Jianfeng Qu, and Jie Zhou. 2023. Cross-lingual summarization via chatgpt. *CoRR*, abs/2302.14229.
- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Brian Ichter, Fei Xia, Ed H. Chi, Quoc V. Le, and Denny Zhou. 2022. Chain-of-thought prompting elicits reasoning in large language models. In *NeurIPS*.
- Haoran Xu, Young Jin Kim, Amr Sharaf, and Hany Hassan Awadalla. 2023. A paradigm shift in machine translation: Boosting translation performance of large language models. *CoRR*, abs/2309.11674.
- Linting Xue, Noah Constant, Adam Roberts, Mihir Kale, Rami Al-Rfou, Aditya Siddhant, Aditya Barua, and Colin Raffel. 2021. mt5: A massively multilingual pre-trained text-to-text transformer. In *Proceedings* of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, NAACL-HLT 2021, Online, June 6-11, 2021, pages 483–498. Association for Computational Linguistics.
- Zhengyan Zhang, Yankai Lin, Zhiyuan Liu, Peng Li, Maosong Sun, and Jie Zhou. 2022. Moefication: Transformer feed-forward layers are mixtures of experts. In *Findings of the Association for Computational Linguistics: ACL 2022, Dublin, Ireland, May* 22-27, 2022, pages 877–890. Association for Computational Linguistics.
- Zhihan Zhang, Dong-Ho Lee, Yuwei Fang, Wenhao Yu, Mengzhao Jia, Meng Jiang, and Francesco Barbieri. 2023. PLUG: leveraging pivot language in crosslingual instruction tuning. *CoRR*, abs/2311.08711.
- Jun Zhao, Zhihao Zhang, Yide Ma, Qi Zhang, Tao Gui, Luhui Gao, and Xuanjing Huang. 2023. Unveiling A core linguistic region in large language models. *CoRR*, abs/2310.14928.




Figure 6: Distribution of all activated neurons in Bloomz-176B on RTE. The horizontal axis of the figure (a) represents different neurons arranged in descending order of the number of times being activated, and the horizontal axis of the figure (a) stands for the number of transformer layers.




Figure 7: The distribution of the top 1% of activated neurons in Bloomz-176B on RTE.

- Wenhao Zhu, Hongyi Liu, Qingxiu Dong, Jingjing Xu, Lingpeng Kong, Jiajun Chen, Lei Li, and Shujian Huang. 2023. Multilingual machine translation with large language models: Empirical results and analysis. *CoRR*, abs/2304.04675.
- Barret Zoph and Kevin Knight. 2016. Multi-source neural translation. In NAACL HLT 2016, The 2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, San Diego California, USA, June 12-17, 2016, pages 30–34. The Association for Computational Linguistics.

A Design of Prompts

To prohibit LLMs from skewing towards any particular languages in the input, we don't point out the original input of tasks in our prompts. All of the prompts are listed in Table 17. In this table, the content that is italicized and highlighted in gray indicates variable elements, which should be replaced according to the specific task requirements.

B More Details About Statistical Method of Activated Neurons

Implementation of Counting Activated Neurons. During the inference stage, each time LLMs calculate the representation of a token including input and output, the intermediate result of MLPs stands for an activation state of neurons. It is essential to note that we only make statistics of activated neurons based on the intermediate result corresponding to the output tokens. This implementation is based on two concerns: (1) only the activation state of neurons corresponding to the output tokens directly contributes to the model generated results. (2) since different prompting strategies differ in the length of input significantly, if the statistics are made based on both input and output tokens, then the results will be disturbed by the factor of length but not the actual impact of prompts, resulting in misdirected conclusions.

Activation Functions Used in LLMs. Table 8 records some of popular LLMs and the activation functions they used.

C Supplementary Results About Neuron Activation

In Figure 6 (a), we can see that: (1) in the interval from 0 to 200000, the curves of PIM, few-shot and their combination are above that of baseline (i.e., Direct), indicating that they activate top 200,000 commonly used neurons; (2) beyond the 200,000 mark, these curves are below the curve of baseline, demonstrating that these prompts perform inhibiting other less used neurons. Furthermore, in Figure 6 (b), we can see that the inhibited neurons concentrate in the back two-thirds of model layers. Figures 9 and 7 report the distribution of the top 1% of activated neurons in Bloomz-176B where PIM shows a clear impact of activation on most commonly used neurons.

To visualize the activation happening in each neurons, in Figure 8, we draw heat maps of Qwen-14B and Bloomz-176B when using the PIM-5 to translate $De \rightarrow En$ in the FLORES-200 and WMT dataset, respectively. It suggests that the neurons of Qwen-14B are more active while those of Bloomz-176B seem lazy and are activated less times. Moreover, in each model, there are significant differences in the number of times being activated among different layers.

Moreover, in Figure 10, we also make statistics

of activated neurons in Bloomz-176B and Qwen-14B during the inference on the WMT dataset.

D More Analyses

D.1 Preliminary Experiments of Constructing PIM

Choose the parallel language that LLMs can understand. We test the impact of selecting parallel languages on the PIM-1 translating $De \rightarrow En$ of the FLORES-200, where Zh, Fr, Uk, and It are selected as the parallel languages. Via comparing the results of translating them to English, we examine the model's understanding of these languages. In Figure 11, experimental results show that PIM-1 achieves better performance when the score of pivot translation is high and returns worse results when the score of pivot translation is low. This suggests that choosing parallel languages that the model comprehends better can bring more benefits for P1M.

Provide the highest quality translations as far as you can. Here, we utilize some translation systems with different performance to construct the parallel input of PIM in various qualities, including NLLB-1.3B, NLLB-54B, Qwen-14B, ChatGPT, and GPT-4. Experiments are conducted on both Qwen-14B and ChatGPT. In Figure 12, translation systems are arranged in the ascending order of their translation performance according to the curve, and the results show that higher quality of translations can result in larger improvements.

Place better understood language at head and tail of the input sequence. We test the performance of PIM prompts with identical parallel texts but in different language order, and conduct experiments on $De \rightarrow En$ and $Zh \rightarrow En$ of the FLORES-200 using Qwen-14B. Results in Table 10 show that an LLM yields superior results when German is placed at the beginning and Spanish is placed at the end. Considering German and Spanish achieve higher score than other languages, we can infer that it is better to place the language better understood by the model at the both ends of the input sequence.

D.2 Comparing the Performance Between Few-shot and PIM

To further evaluating the effectiveness of our PIM, here we compare the results of PIM with those of few-shot. Notably, since our fine-tuning data is constructed by zero-shot instructions, which hurts

Activation Function	Formula	Model
ReLU	$\max(x,0)$	Vanilla Transformer
GELU	$0.5x (1 + \operatorname{erf} (x/\sqrt{2}))$	Bloom, Falcon
SiLU	$x/(1+e^{-x})$	\
GEGLU	$\operatorname{GELU}(XW_{up}) \odot (XV_{up})$	mT0
SwiGLU	$\operatorname{SiLU}\left(XW_{up} ight)\odot\left(XV_{up} ight)$	LLaMA, Qwen, ALMA, Yi

Table 8: The activation functions of some commonly used multilingual LLMs. In GELU, the $erf(\cdot)$ stands for the Gauss Error Function. Note that our extended statistical method can be applied to all LLMs shown in this table.




Figure 8: The heat maps of activated neurons in MLPs of Qwen-14B and Bloomz-176B when using the PIM-5 to translate $De \rightarrow En$ in the FLORES-200 and WMT dataset, respectively. The horizontal axis represents the dimension of the middle outputs in MLPs (i.e., each neuron). The vertical axis represents the number of layers in the model. And each element in the map stands for the number of times of being activated during the inference stage.

Sy	stem	BLEU	COMET	BLEU	COMET	BLEU	COMET	BLEU	COMET	BLEU	COMET	BLEU	COMET
Dir	rection	De	$\rightarrow En$	Zh	$\rightarrow En$	De	$e \rightarrow Fr$	En	$\rightarrow De$	En	$\rightarrow Zh$	Is -	$\rightarrow En$
Parallel	Languages	Es Ru F	r Zh Ja Cs	Es Ru F	r Ja Cs De	En Ru	Es Zh It Cs	Es Ru I	Fr Zh Ja Cs	Es Ru F	r Ja Cs De	Es Ru F	Fr it Cs De
	Direct (1-shot) *	29.8	82.7	24.7	81.9	38.6	84.1	34.5	87.2	43.8	87.2	35.6	84.5
ChatGPT	Direct (5-shot) *	32.9	85.6	25.4	82.6	40.5	84.5	34.7	87.4	44.4	87.4	37.9	85.9
	PIM (5-shot) *	32.8	85.7	24.9	82.9	41.5	84.7	34.8	87.6	45.1	87.3	39.3	86.7
	Direct (0-shot) †	30.4	84.4	23.7	80.8	34.2	81.9	29.6	85.3	45.2	87.6	18.4	69.7
Qwen-14B	Direct (5-shot) *	31.5	84.7	24.0	80.8	33.0	81.8	29.3	84.9	45.4	87.3	19.6	71.9
	PIM (0-shot) [†]	31.6	84.9	24.3	82.0	38.4	83.4	30.0	85.8	45.1	87.6	37.9	85.7
	Direct (0-shot) †	28.1	83.8	21.6	79.6	27.1	79.2	29.6	85.5	36.9	85.8	34.0	85.8
ALMA-13B	Paper Reported *	30.7	84.4	24.7	79.9	-	-	31.4	85.5	39.1	85.8	36.5	86.3
	PIM (0-shot) [†]	30.8	85.0	23.8	81.8	33.3	81.5	29.9	86.0	36.9	86.0	38.3	86.5
	Direct (0-shot) *	24.0	78.4	16.0	76.4	27.3	77.1	13.0	70.7	29.5	83.9	5.6	53.8
Bloomz-176B	Direct (5-shot) *	23.1	79.7	14.5	77.3	25.9	77.2	16.1	74.1	33.5	85.2	5.1	56.1
	PIM (0-shot) *	28.2	83.9	21.7	81.4	36.6	82.9	16.0	73.9	32.4	84.7	34.0	84.2

Table 9: Comparing the performance of few-shot and PIM. In fairness, the results of few-shot come from models without fine-tuning, i.e., the official release. † and * represent whether the prompt is fed to a model that has been fine-tuned or not, respectively.

the performance of few-shot evaluated on these fine-tuned models (Alves et al., 2023), hence we conduct experiments of few-shot on original models, i.e., the officially released weights without being fine-tuned. As shown in Table 9, PIM also outperforms the few-shot.

D.3 Inference Speed

Since the inference speed of LLMs inevitably slows down as the input sequence lengthens, we also focus on the trade-off between performance and inference speed when increasing the number of parallel languages in the PIM. Here, we conduct experiments on the FLORES-200 De \rightarrow En and Qwen-14B model. Table 11 indicates that for ev-




Figure 9: The distribution of the top 1% of activated neurons in Bloomz-176B on WMT22 De \rightarrow En. The horizontal axis represents different neurons arranged in descending order of the number of times being activated.

Method	Input	COMET					
	De	89.5					
Direct	Es	87.4					
Direct	Ru	86.9					
	Zh	86.9					
$German \rightarrow English$							
	De + Zh + Ru + Es	90.5					
PIM-3	De + Zh + Es + Ru	90.4					
	De + Ru + Es + Zh	90.3					
	$Chinese \rightarrow English$						
	Zh + Ru + De + Es	90.3					
PIM-3	Zh + Ru + Es + De	90.2					
	Zh + Es + De + Ru	90.0					

Table 10: Examining the factor of language order for PIM. The experiment is conducted on FLORES-200 and Qwen-14B.

Method	Time Cost	Increase Rate (%)	BLEU	Increase Rate (%)
Direct	189.4s	-	45.2	-
PIM-1	249.7s	31.8	47.9	5.9
PIM-3	397.9s	110.1	56.2	24.3
PIM-5	507.3s	167.8	56.5	25.0

Table 11: The inference speed and performance gain of PIM with different amount of parallel languages.

ery additional parallel language integrated into the PIM input, there is an approximate 30% increase of time cost, along with a 5% improvement of performance. Notably, when the number of parallel language reaches three, the improvement can reach up to 24.34%. Despite the increased inference cost, it is reasonable and acceptable considering the substantial performance gain.

E Details of Experiment Setups

E.1 Multilingual LLMs

Here, we introduce the multilingual LLMs used in our main experiment.

ChatGPT: the most capable GPT-3.5 model which performs impressively on rich-resource lan-

Syste	em	BLEU	COMET	BLEU	COMET	
Direct	ion	Fr -	$\rightarrow De$	$Fr \rightarrow Es$		
	Direct	30.4	86.5	25.3	86.3	
	PIM_{PA}	26.0 ^{↓4.4}	$85.7^{\downarrow 0.8}$	$24.7^{\downarrow 0.6}$	$86.0^{\downarrow 0.3}$	
ChatGPT	PIM_{MS}	30.0 ^{↓0.4}	$85.6^{\downarrow 0.9}$	26.1 ^{↑0.8}	$86.2^{\downarrow 0.1}$	
	PIM_{ML}	30.4 ^{↑0.0}	$86.3^{\downarrow 0.2}$	$25.5^{\uparrow 0.2}$	86.3 ^{↑0.0}	
	PIM_{GT}	32.4	86.9	27.0	86.8	
	Direct	25.9	84.8	24.0	85.6	
	PIM_{PA}	28.1 ^{†2.2}	86.0 ^{↑1.2}	$23.5^{\downarrow 0.5}$	$85.5^{\downarrow 0.1}$	
Qwen-14b	PIM_{MS}	$27.6^{\uparrow 1.7}$	$85.5^{\uparrow 0.7}$	25.4 ^{↑1.4}	86.0 ^{↑0.4}	
	PIM_{ML}	$26.8^{\uparrow 0.9}$	$85.0^{\uparrow 0.2}$	$24.1^{\uparrow 0.1}$	$85.8^{\uparrow 0.2}$	
	PIM_{GT}	29.6	86.0	27.3	86.4	
	Direct	30.4	86.5	25.6	86.4	
GPT-4	PIM_{MS}	32.1 ^{↑1.7}	87.1 $^{\uparrow 0.5}$	26.3 ^{↑0.7}	87.0 ^{↑0.6}	
01 1-4	PIM_{ML}	32.1 ^{↑1.7}	$86.7^{\uparrow 0.2}$	$25.9^{\uparrow 0.3}$	$86.5^{+0.1}$	
	PIM_{GT}	35.8	87.7	28.4	87. <i>3</i>	

Table 12: Supplement results of the ablation study.

guages. We use the gpt-3.5-turbo-0613 API.

Bloomz: a fine-tuned version of Bloom (Scao et al., 2022), and we conduct experiments on the largest bloomz containing 176B parameters.

Qwen: open-source models which are trained up to 3 trillion tokens of multilingual data with competitive performance on various tasks (Bai et al., 2023). We do evaluations on three models, including Qwen-7B (Qwen-7B-Chat), Qwen-14B (Qwen-14B-Chat) and Qwen-72B (Qwen-72B-Chat).

ALMA: a multilingual LLaMA-2 (Touvron et al., 2023) produced by continually pre-training and specially instruction-tuning on the MT task (Xu et al., 2023). We conduct experiments on ALMA-13B.

Yi: a newly released open-source model which is mainly trained on English and Chinese corpus achieving SoTA performance on several tasks (01ai, 2023). We assess the effectiveness of PIM on Yi-34B (Yi-34B-Chat).

mT0: an instruction-tuned version of mT5 (Xue et al., 2021), we choose the mT0-13B (mt0-xx1) as it supports 46 languages.

E.2 Training Setups

Limited by parameters and training data, there might be a challenge for every multilingual LLM to understand PIM prompts inherently. To address this, we conducted training data and fine-tuned the models which seemed confused when facing the PIM prompt. Specifically, we leveraged LLaMA-Factory⁸ (hiyouga, 2023) and the LoRA technology

⁸https://github.com/hiyouga/LLaMA-Factory




Figure 10: The translation performance and the activation proportion of different prompts on WMT dataset. * and † stand for Bloomz-176B and Qwen-14B, respectively.

Model	Task	Trainiı	Trainiı	ng Data		
Model	Batch Size Epoch Learning Rate					Size
	Machine Translation	16	1	2e-5	1:9	4985
	Nature Language Inference	16	2	5e-5	1:7	2000
Qwen-7B	Reading Comprehension	16	8	8e-5	1:5	2000
	Text Simplification	16	7	7e-5	1:5	2000
	Abstractive Summarization	16	4	1e-5	1:9	1200
	Machine Translation	16	1	2e-5	1:9	4985
	Nature Language Inference	16	1	5e-5	1:7	2000
Qwen-14B	Reading Comprehension	16	9	8e-5	1:7	2000
	Text Simplification	16	7	7e-5	1:5	2000
	Abstractive Summarization	16	4	7e-5	1:7	1200
	Machine Translation	16	1	5e-5	1:9	4985
	Nature Language Inference	16	6	5e-5	1:7	2000
ALMA-13B	Reading Comprehension	16	6	8e-5	1:7	2000
	Text Simplification	16	8	7e-5	1:9	2000
	Abstractive Summarization	16	3	2e-4	1:9	1200
	Nature Language Inference	16	3	1e-5	1:7	2000
Yi-34B	Reading Comprehension	16	7	8e-5	1:9	2000
11- 3 4B	Text Simplification	16	7	5e-5	1:9	2000
	Abstractive Summarization	16	5	7e-5	1:9	1200
Owen 72P	Nature Language Inference	16	8	1e-5	1:7	2000
Qwen-72B	Reading Comprehension	16	5	6e-5	1:7	2000

Table 13: Our training setups. Each model is trained to ensure optimal performance for both the baseline and PIM.




Figure 11: Examining the factor of selecting parallel languages for PIM. The experiment is conducted on FLORES-200 De \rightarrow En in PIM-1.




Figure 12: Examining the factor of translation quality for PIM. This experiment is conducted on FLORES-200 $De \rightarrow En$ in PIM-3. Each point on the red line represents the average COMET score of translating German to the three parallel languages by a translation system, reflecting the different translation qualities of parallel languages.

	As	sset	Wik	iAuto	XLSum							
Model	E	En	En			Es	Ru					
	Pivot	SARI	Pivot	SARI	Pivot	R2/RL	Pivot	R2/RL				
	Fr	43.1	Fr	43.2	Fr	9.4/22.7	Es	41.1/38.5				
Qwen-7B	De	43.9	De	43.1	-	-	-	-				
	Es	42.7	Es	43.0	-	-	-	-				
	Fr	43.6	Fr	43.6	Fr	9.0/21.4	Es	40.2/38.3				
Qwen-14B	De	44.4	De	43.1	-	-	-	-				
	Es	43.7	Es	43.8	-	-	-	-				
	Fr	43.5	Fr	43.1	Fr	10.4/23.0	Es	44.3/41.2				
ALMA-13B	De	43.2	De	43.2	-	-	-	-				
	Es	43.4	Es	43.2	-	-	-	-				
	Fr	43.3	Fr	43.5	Fr	10.6/23.3	Es	41.7/38.8				
Yi-34B	De	43.3	De	43.3	-	-	-	-				
	Es	42.9	Es	42.4	-	-	-	-				

Table 14: Full experimental results of pivot prompts on Asset, WikiAuto and XLSum dataset. The best results of each group are in **bold**.

to train models, where we set the LoRA-rank to 8, LoRA-alpha to 32 and dropout to 0.1. Since the different amount of trainable parameters in the LoRA module, we applied different training strategies to ensure that every model can adequately understand prompts of various tasks. These settings are detailed in Table 13.

E.3 Details of the Fine-tuning Datasets

We constructed our fine-tuning dataset based on the training or development datasets of these tasks for both conventional and PIM prompts in zero-shot style. There are two factors, including the ratio of baseline to PIM data and the size of training dataset, which are detailed in Table 13.

E.4 Decoding Setups

We kept consistent super parameters during the inference stage of every LLM, i.e., we set the decoding batch size to 4 and the temperature to 0.01 in order to ensure the reproducibility of the results.

F Full Experimental Results of Pivot Prompts

We have reported the results of pivot prompts with the highest score in the table of the main experiment. In Tables 14, 15 and 16, we list all the results of the pivot prompts.

Model	Pivot	BLEU	COMET	Pivot	BLEU	COMET	Pivot	BLEU	COMET	Pivot	BLEU	COMET	Pivot	BLEU	COMET	Pivot	BLEU	COMET
Direction		$De \rightarrow$	En		$Zh \rightarrow I$	En		$De \rightarrow$	Fr		$En \rightarrow I$	De		$En \rightarrow 1$	Zh		$Is \rightarrow I$	En
	Es	28.5	84.0	Es	21.6	81.9	En	40.4	84.0	Es	30.0	85.6	Es	40.3	86.0	Es	34.6	85.4
	Ru	25.2	83.6	Ru	18.4	80.7	Ru	33.1	82.6	Ru	27.4	86.2	Ru	35.9	85.6	Ru	30.5	84.6
	Fr	27.3	82.6	Fr	16.3	76.9	Es	37.0	83.3	Fr	30.0	86.4	Fr	36.9	85.1	Fr	31.2	84.1
ChatGPT	Zh Ja Cs	27.5 19.5 19.5 25.6	82.4 81.7 81.8	Ja Cs De	18.5 18.6 20.1	80.1 80.2 81.0	Zh It Cs	25.0 37.3 34.8	83.3 80.9 83.3 82.5	Zh Ja Cs	21.7 20.4 29.0	85.0 84.8 86.1	Ja Cs De	33.4 37.2 37.9	85.0 85.4 85.9	It Cs De	33.0 27.7 35.0	85.0 81.9 85.6
	Es	25.0	83.0	Es	20.1	81.0 81.3	En	33.2	82.5	Es	29.0	81.1	Es Es	37.9	85.1	Es	33.5	85.0
Owen-7B	Ru	22.8	82.0	Ru	17.7	79.6	Ru	24.2	78.2	Ru	18.6	81.3	Ru	33.7	84.8	Ru	27.7	83.5
	Fr	27.0	83.2	Fr	20.5	81.1	Es	30.1	79.9	Fr	22.2	82.0	Fr	34.9	85.4	Fr	32.7	85.0
Queen / D	Zh	18.8	81.4	Ja	15.8	78.1	Zh	19.7	77.9	Zh	15.5	80.8	Ja	29.6	83.4	It	31.9	84.4
	Ja	16.1	79.2	Cs	17.4	79.0	It	31.1	80.3	Ja	11.7	77.5	Cs	32.5	83.7	Cs	27.6	83.0
	Cs	23.7	81.1	De	19.2	80.6	Cs	24.1	76.3	Cs	19.4	80.0	De	35.0	85.1	De	32.3	84.6
	Es	28.1	83.8	Es	22.4	81.8	En	37.4	82.7	Es	26.5	83.7	Es	41.2	86.3	Es	33.7	85.2
	Ru	25.0	82.9	Ru	19.8	80.6	Ru	29.8	81.2	Ru	23.5	84.1	Ru	38.7	86.3	Ru	30.3	84.1
Qwen-14B	Fr	28.2	84.0	Fr	21.5	81.5	Es	34.5	82.1	Fr	26.9	84.7	Fr	40.4	86.6	Fr	34.1	85.4
	Zh	20.5	82.1	Ja	19.1	79.8	Zh	24.7	79.9	Zh	20.5	83.2	Ja	35.6	85.5	It	33.0	85.0
	Ja	19.2	81.3	Cs	19.6	80.2	It	34.3	82.1	Ja	17.5	82.5	Cs	38.5	85.5	Cs	29.9	84.1
	Cs	25.1	82.6	De	20.7	81.2	Cs	30.5	80.3	Cs	24.3	83.8	De	39.1	86.3	De	33.8	85.2
ALMA-13B	Es Ru Fr Zh Ja Cs	25.5 22.8 26.0 18.1 16.3 24.0	83.0 82.5 83.3 81.0 79.9 82.6	Es Ru Fr Ja Cs	21.7 18.9 20.9 16.7 19.0 20.2	81.2 80.1 80.9 78.4 79.8 80.9	En Ru Es Zh It Cs	29.9 24.8 29.4 18.0 30.2 25.7	80.3 78.8 79.9 76.6 80.0 78.2	Es Ru Fr Zh Ja Cs	26.2 24.6 26.4 18.8 15.8 25.4	83.7 84.8 84.8 82.9 81.2 84.6	Es Ru Fr Ja Cs De	32.3 31.4 32.3 28.0 32.2 32.3	83.9 84.5 84.5 82.5 84.4 84.6	Es Ru Fr It Cs De	32.7 28.1 31.7 31.3 28.5 31.8	85.2 84.1 85.0 84.7 84.0 85.1
	Es	24.0 24.5	82.6	De Es	20.2 19.3	80.9 80.7	En En	30.9	79.8	Es	17.2	77.1	Es Es	23.4	81.9	Es De	31.8 30.8	85.1 84.6
mT0-13B	Ru	21.3	81.5	Ru	16.0	79.1	Ru	25.7	78.6	Ru	15.6	77.5	Ru	23.1	82.3	Ru	25.9	82.9
	Fr	24.5	82.4	Fr	18.5	80.2	Es	30.5	80.1	Fr	16.8	77.2	Fr	23.1	82.1	Fr	29.3	84.0
	Zh	16.6	79.8	Ja	12.9	76.8	Zh	18.8	76.3	Zh	12.2	75.8	Ja	22.3	81.9	It	29.6	84.1
	Ja	15.6	79.3	Cs	16.5	79.1	It	30.3	80.0	Ja	12.1	76.4	Cs	22.9	81.6	Cs	27.1	83.5
	Cs	22.7	81.5	De	17.4	79.7	Cs	26.6	78.2	Cs	17.4	78.5	De	23.8	82.1	De	29.8	84.0
Bloomz-176B	Es	25.0	82.8	Es	20.8	80.9	En	34.6	82.1	Es	6.1	63.6	Es	27.3	82.8	Es	31.5	84.6
	Ru	17.5	76.0	Ru	14.8	75.2	Ru	22.2	75.1	Ru	9.5	66.2	Ru	22.2	79.1	Ru	20.4	77.5
	Fr	24.9	82.6	Fr	19.7	80.2	Es	33.5	81.5	Fr	8.9	67.1	Fr	27.6	82.6	Fr	29.9	84.3
	Zh	17.1	79.2	Ja	13.2	74.5	Zh	21.0	78.0	Zh	7.3	66.3	Ja	17.2	78.9	It	28.9	82.4
	Ja	13.0	74.3	Cs	10.7	66.4	It	32.2	80.3	Ja	4.9	60.9	Cs	15.1	68.8	Cs	14.5	67.8
	Cs	13.6	64.7	De	17.3	77.7	Cs	15.1	64.0	Cs	2.5	51.9	De	25.5	79.6	De	26.8	81.5

Table 15: Full experimental results of pivot prompts on WMT dataset. The best results of each group are in **bold**.

		RTE			2	KNLI			I	BoolQ
Model	En			Fr		De		Zh	En	
	Pivot	Accuracy								
	De	85.9	De	78.9	Es	80.2	De	74.2	Es	81.6
Qwen-7B	Es	86.6	Es	77.9	Fr	79.2	Es	74.1	-	-
	Fr	85.6	Ru	77.2	Ru	77.2	Fr	72.3	-	-
	De	89.2	De	80.1	Es	79.5	De	73.3	Es	86.0
Qwen-14B	Es	90.6	Es	80.5	Fr	79.8	Es	74.2	-	-
	Fr	88.8	Ru	79.1	Ru	77.7	Fr	72.8	-	-
	De	84.1	De	82.0	Es	79.6	De	75.9	Es	77.7
ALMA-13B	Es	84.5	Es	81.7	Fr	80.8	Es	74.3	-	-
	Fr	80.1	Ru	79.4	Ru	79.8	Fr	74.6	-	-
	De	79.1	De	70.0	Es	72.6	De	64.7	Es	84.2
Yi-34B	Es	85.9	Es	71.5	Fr	71.9	Es	68.1	-	-
	Fr	84.8	Ru	66.6	Ru	64.8	Fr	66.6	-	-
	De	91.3	De	85.8	Es	85.5	De	78.9	Es	88.7
Qwen-72B	Es	92.4	Es	85.0	Fr	85.2	Es	80.6	-	-
	Fr	90.6	Ru	83.9	Ru	83.5	Fr	79.5	-	-
	De	74.4	De	50.0	Es	53.0	De	49.6	-	-
Bloomz-176B	Es	73.3	Es	53.1	Fr	50.5	Es	53.7	-	-
	Fr	77.6	Ru	50.8	Ru	53.3	Fr	52.0	-	-

Table 16: Full experimental results of pivot prompts on RTE, XNLI and BoolQ dataset. The best results of each group are in **bold**.

Dataset		Prompt
	Direct	Translate intotarget-languagesource-language:source-language:
FLORES-200	PiM	Translate intotarget-languagesource-language:source-language:parallel-language(1):parallel-language(2):parallel-language(2):parallel-language(n):parallel-language:
WMT	PIM _{MS} PIM _{PA}	There are six sentences in <i>source-language</i> , I need you to full understand all of them and then translate to one <i>target-language</i> sentence. <i>source-language</i> : 1. <i>paraphrase-sentence1</i> 2. <i>paraphrase-sentence2</i> 3. <i>paraphrase-sentence3</i> 4. <i>paraphrase-sentence4</i> 5. <i>paraphrase-sentence5</i> <i>target-language</i> :
	Direct	You will be presented with a complex sentence. Your task is to sin plify this sentence to make it easier to understand, while maintainin its core meaning and factual content. The goal is to generate a sin plified version of the sentence without losing important informatio or altering its original intent. Please provide a single simplified sent tence as your response, without any explanation. Here is the complex sentence: Complex Sentence: <i>sentence</i> Your simplified version:
Asset WikiAuto	PiM	You will be presented with the same sentence in four different languages: <i>source-language</i> , <i>parallel-language1</i> <i>parallel-language2</i> , and <i>parallel-language3</i> . These sentence convey the exact same meaning. Your task is to simplify the sent tence into <i>source-language</i> to make it easier to understand, whill maintaining its core meaning and factual content. It is important to note that since all sentences have the same meaning, you only need to provide one simplified <i>source-language</i> version. Please genera ate a single simplified <i>source-language</i> sentence as your response without any explanation. Here are the sentences: <i>source-language1</i> Sentence: <i>source-sentence</i> <i>parallel-language1</i> Sentence: <i>parallel-sentence2</i> <i>parallel-language3</i> Sentence: <i>parallel-sentence3</i> Your simplified <i>source-language</i> version:

Dataset	Prompt						
	Direct	You will be presented with a pair of sentences. Your task is to determine the relationship between these two sentences. There are two possible relationships: entailment, not_entailment. 'entailment' mean the first sentence logically implies the second one. 'not_entailment' means the first sentence logically conflicts with the second one. Pleas provide a single prediction for the relationship based on these sentence pairs, without any explanation. Here is the sentence pair: Premise: <i>src-premise</i> Hypothesis: <i>src-hypothesis</i> Your prediction:					
		You will be provided with a set of sentence pairs that are semantically identical but presented in four different languages <i>src-language</i> , <i>parallel-language1</i> , <i>parallel-language2</i> , and					
RTE		<i>parallel-language3</i> . Each pair consists of a premise and a hypothesis. Despite the language differences, the meaning of these sentence is the same across all languages. Your task is to analyze these sentence pairs and determine the relationship between the premise an the hypothesis. There are two possible relationships: entailment and not_entailment. 'entailment' means the first sentence logicall implies the second one. 'not_entailment' means the first sentence logically conflicts with the second one. Please provide a single prodiction for the relationship based on these sentence pairs, without an explanation. Here are the sentence pairs: <i>src-language</i> :					
	РіМ	Premise: src-premise Hypothesis: src-hypothesis parallel-language1 : Premise: paral-premise					
		Hypothesis: para1-hypothesis parallel-lang2 : Premise: para2-premise Hypothesis: para2-hypothesis parallel-lang3 :					
		Premise: <i>para3-premise</i> Hypothesis: <i>para3-hypothesis</i> Your prediction:					
	Direct	You will be presented with a long text. Your task is to summariz this text in 1-2 sentences in <i>source-language</i> , capturing the most important and core content. The summary should distill the essence of the article concisely and accurately. Please provide a single summar for the text without any explanation. Here is the text: <i>source-text</i> Your summary:					
XLSum	РіМ	You will be presented with two texts, each in a different languag <i>source-language</i> , <i>parallel-language</i> . These texts convey the sam meaning in their respective languages. Your task is to summariz the core content of these texts in one summary (1-2 sentences) i <i>source-language</i> , capturing the most important and central ide Please provide a single summary for the texts without any explanatio Here are the texts: <i>source-language</i> Text: <i>source-text</i>					
		<i>parallel-language</i> Text: <i>parallel-text</i> Your summary in <i>source-language</i> :					

Dataset		Prompt								
	Direct	You will be provided with a passage and a yes/no question based on that passage. Your task is to read the passage and then answer the question with a simple 'Yes' or 'No' based on the information in the passage. Please do not provide any explanations or reasoning for your answer. Passage: <i>source-passage</i> Question: <i>source-question</i> Please respond with 'Yes' or 'No' only. Your answer:								
BoolQ	РіМ	You will be provided with two passages, each in a different language: <i>source-language</i> , <i>parallel-language</i> . These passages convey the same meaning. Your task is to understand the content of these pas- sages and then answer a yes/no question based on them. It's important to note that you only need to make one prediction as the semantic content across all the passages is identical. Please do not provide any explanations or reasoning for your answer. <i>source-language</i> Passage: <i>source-sentence</i> <i>parallel-language</i> Passage: <i>parallel-sentence</i>								
		Question: <i>source-question</i> Please respond with 'Yes' or 'No' only. Your answer:								
	Direct	You will be presented with a pair of sentences. Your task is to dete mine the relationship between these two sentences. There are three possible relationships: entailment, contradiction, or neutral. Pleas provide a single prediction for the relationship based on these sentence pairs, without any explanation. Here is the sentence pair: Premise: premise-sentence Hypothesis: hypothesis-sentence Your prediction:								
XNLI		You will be given a premise in multiple languages (<i>source-language</i> ,								
ANLI		parallel-language1, parallel-language2, parallel-language3)								
	РіМ	and a hypothesis in <i>source-language</i> . Your task is to deter- mine the relationship between the multilingual premises and the <i>source-language</i> hypothesis. There are three possible relationships: entailment, contradiction, or neutral. Please provide a single pre- diction for the relationship, without any explanation. Here are the premises and the hypothesis: <i>source-sentence</i> Premise: <i>source-premise</i> <i>parallel-language1</i> Premise: <i>parallel-premise1</i> <i>parallel-language2</i> Premise: <i>parallel-premise2</i> <i>parallel-language3</i> Premise: <i>parallel-premise3</i>								
		Hypothesis: <i>source-hypothesis</i> Your prediction:								

Table 17: All the prompts used in experiments.